

Printer registration manual Real-time Light for PW4NX March 7, 2023 Ver. 2.0





Table of Contents

1.	Re	Revision History		
2.	Ch	Check your network environment		
3.	Foi	r adding printers to SATO Online Services	4	
	3-1.	DNS settings	5	
,	3-2 .	Set Proxy settings. (Mandatory if proxy server is used)	5	
,	3-3.	SOS mode settings	6	
4.	Pre	epare to register your printer	7	
4	4-1.	Select SOS connection	7	
4	4-2.	Printer serial number is shown	7	
	4-3.	PIN code input screen is shown	7	
5.	Re	gister your printer via SOS Smart App	8	
	5-1.	Login to SOS Smart App	8	
	5-2 .	Read via NFC	9	
	5-3 .	Enter printer information	9	
5-4.		Restart the printer	10	
6.	Re	gister your printer via PC	11	
(6-1 .	Login to SATO Online Services		
(6-2 .	Enter printer serial number	11	
(6-3 .	Return to "Printer screen" and enter the PIN code	11	
(6-4.	Association code is shown	12	
(6-5.	Go to SATO Online Services screen in PC	12	
7	Co	nfirmation	13	



1. **Revision History**

Version	Issued on	Revision history
Ver. 1.0	March 7, 2023	First edition



2. Check your network environment

To connect SOS via your network, The following ports is required to be opened Port No.: 443/TCP and Port No.: 8883/TCP *Both use outbound only

<Connect method 1>

connect via firewall both of Port No.443 and 8883

<Connect method 2>

Port No.443 connect via proxy server. Port No.8883 connect via firewall.

3. For adding printers to SATO Online Services

To connect printers to SATO Online Services, Set the following printer setting it is necessary to change the network settings of your printers.

•DNS required

• Proxy server required if it connect via proxy server.

•NTP optional

And it is also necessary to prepare following information.

- SOS account (ID,PW)
- 2. Definition of unique printer name and it's location name.

If Multiple locations are existing, we recommend registering location settings beforehand.

*It describes only for SOS setting. Other network setting(IP, Subnet, Gateway and WLAN setting) is referred to printer manual.

https://www.manual.sato-global.com/printer/pw4nx/en/main/index.html



3-1. **DNS settings**

Show setting menu of printer.

Settings => Interface => Network => Settings => LAN => IPv4


<Example>

Mode Static

IP Address 172.25.47.19 Netmask 255.255.0.0 Gateway 172.25.1.240

DNS 172.18.1.52,172.18.1.53,172.30.5.23


* Three DNS address can be set



3-2. **Set Proxy settings. (Mandatory if proxy server is used)**

- Show proxy setting screen of product's menu Settings => Interface => Network => Settings => LAN(or Wi-Fi) => Proxy
- ② Set proxy server value(IP address and port number) in the Server. ex.) http://172.18.1.10:8080 (http://{IP Address}:{Port number})





3 Set the Username and Password respectively. If the username and password are not available in the proxy server, this setting is not required.






Check exclude setting contains 127.0.0.1, localhost.
[127.0.0.1, localhost] are static value. Leave this setting and no change.
And if there is no value set on this menu, please enter 127.0.0.1, localhost manually

^{*} DNS is not required if DHCP is set.





5 Check the checkbox to enable the valid item.




3-3. **SOS mode settings**

- Show SOS mode settings screen.
 Settings => Interface => Network => Services => Online Services => SOS Mode
- ② Set SOS Mode to Light from Disable



③ Check the terms of SOS and agree them.






4. Prepare to register your printer

4-1. **Select SOS connection**




4-2. Printer serial number is shown



•Printer serial number is needed to login to SATO Online Services and register your printer.

4-3. PIN code input screen is shown



When this screen is shown, acquire a PIN code, following the below step.

Following two steps can be used. Choose the applicable one depending on registration method.

Register via smartphone=> register your printer via SOS Smart App


Register via PC=> register your printer via PC



5. Register your printer via SOS Smart App

5-1. **Login to SOS Smart App**

- •Login to SOS Smart App and tap [Add printer].
- •Tap [Real-time(Light)] in the printer registration screen.







5-2. **Read via NFC**

While the light mode connection screen is shown, place the smartphone close to the printer NFC area. NFC is mounted in a red circle portion of the below picture.







5-3. **Enter printer information**

When the screen is read via NFC, below screen is shown. Enter the model name, location using SOS Smart App and tap [Add] button.





5-4. **Restart the printer**

After the printer information is added, long-press the power button of the printer to turn off the power once, then restart the printer.








6. Register your printer via PC.


6-1. Login to SATO Online Services

https://www.sato-sos.com/ => login to SOS



- •Login to SATO Online Services with your account and click On-demand/Light mode in the printer registration shown at the top right of the screen.
- *You need to register for a SOS account beforehand.

6-2. **Enter printer serial number**



- •Input screen of the printer serial number is shown. Enter the serial number of the added printer and click [Code] button.
- *Enter the printer serial number you made a note in the Step4-2.
- •PIN code is shown.
- *This PIN code is necessary to identify the added printer.
- *It is recommended to make a note of the PIN code.


6-3. Return to "Printer screen" and enter the PIN code



- •Enter the given PIN code in the Web screen.
- Press the right softkey [✓] of the printer to confirm the entered PIN code.
- *Enter the PIN code you made a note in the Step6-2.




6-4. **Association code is shown**



- Printer serial number and association code are shown in the printer screen.
- *It is recommended to make a note of the association code.

6-5. **Go to SATO Online Services screen in PC**



- Click [Next] in the Add QR connection printer screen.
 - Association code input screen is shown.
 (Left image)
- $\, {}^{\displaystyle \bullet} \text{Enter}$ the association code shown in the printer.
- *Enter the association code shown in the previous


step.

- •Enter the printer name.
- •Enter the location.
- ·Click [Add] button.



7. **Confirmation.**

Check the "Device list" of SATO Online Services show operated serial number.



Registration process is completed.

Please see following manual for check other information.

https://www.sato-sos.com/en/support/sos_usermanual.pdf

* The above registration process can also be performed from SOS Smart App (application for SOS smartphone).

Also, SOS Smart App is convenient to input the association code by QR code reading function.

For details, refer to the SOS Smart App manual.

https://www.sato-sos.com/en/support/sos_usermanual_mobile.pdf